





AMDURIT® A SUCESS STORY MADE BY AMMANN

Amdurit is wear protection made by Ammann with a much longer lifetime in comparison to wear-proof steel. Thanks to in-house production of all Amdurit components Ammann guarantees high flexibility and a maximum on possible applications. Our experience shows that Amdurit significantly lowers operating costs. A longer lifetime also reduces the amount of costly assembly and dismantling work.

PREFERRED AREAS OF USE

- · Drum inserts and drum discharge
- Hot elevator infeed, discharge and buckets
- Transition from hot elevator to screen
- Bypass flap and partition walls of the hot aggregate silo
- · Discharge on the hot mix storage silo
- Cold feeder
- Crude gas channel

PREFERRED AREAS OF USE FOR RECLAIMED ASPHALT FEED

- Infeed and discharge on the RA elevator
- Drum pipe infeed, cone and scales in the drum pipe
- Intermediate container and chute in the mixer
- · RA feed bin, screw and screw trough
















































HOT ELEVATOR INTAKE / INFEED / INLET

UNSCREWED BACK WALL


BOLTED / SCREWED SIDE PANELS /


PARTS


ELEVATOR – SCREEN TRANSITION


WITH CHANGEABLE WEARING PLATES

FRONT SIDE SCREWED
















AMDURIT LINING SCREWED DRILLING TEMPLATE / DRILL HOLE TEMPLATE










HOT MIX STORAGE SILO

OUTLET AMDURIT LINING WELDED











RA DRUM INLET


CHANGEABLE AMDURIT PLATES






RA SCALE

WEAR AMDURIT LINING WELDED IN





RA ELEVATOR

BELT
DRIVING DRUM
DEFLECTOR DRUM
BEARING





HOT ELEVATOR


CHAIN WHEEL BEARING






CRUDE GAS CHANNEL

COMPLETE AMDURIT KIT WITH SUBSTRUCTURE





For additional product information and services please visit: www.ammann-group.com

